



CLAIMS

1. A compound of formula (I) or formula (II)



(I)



(II)

- 5 wherein

A and C are the same or different and are each a bond,  $-(CH_2)_n$ -,  $-C(R^b)_2$ -,  $-Si(R^c)_2$ -,  $-O$ -,  $-S(O)_m$ -,  $-N=$ -,  $-N(R^b)$ -,  $-N(R^e)C(=X)$ - or  $-C(=X)$ -;

B is  $-(CH_2)_n$ -,  $-O$ -,  $-C(R^b)_2$ -,  $-Si(R^c)_2$ -,  $-C(R^b)=C(R^b)$ -,  $-C(R^b)=$ -,  $-(CH_2)_nC(R^g)_2$ -,  $-C(R^g)_2(CH_2)_n$ - or  $-CH(R^b)CH(R^b)$ -;

- 10 wherein any of A, B and C is optionally substituted with  $-Si(R^c)_3$ ;

D is  $-(CH_2)_n$ -,  $-C(=X)$ -,  $-O$ -,  $-S(O)_m$ -,  $-C(=X)N(R^e)$ -,  $-C(R^b)_2$ -,  $-C(R^b)=C(R^b)$ -,  $-CH(R^b)CH(R^b)$ -;

E is optionally present and is  $-(CH_2)_n$ -,  $-N(R^d)$ -,  $-(CH_2)_nN(R^d)$ - or  $-N(R^d)(CH_2)_n$ ;

- 15 F is  $-C(=X)$ - or  $-N(R^d)$ -;

G is  $-(CH_2)_n$ -,  $-N(R^d)$ -,  $-(CH_2)_nN(R^d)$ - or  $-N(R^d)(CH_2)_n$ ;

J is optionally present and is  $-O$ -,  $-N(R^c)C(=X)$ -,  $-C(=X)N(R^c)$ -,  $-S(O)_m$ -,  $-N(R^c)S(O)_m$ -,  $-S(O)_mN(R^c)$ - or  $-N(R^e)$ ;

K is optionally present and is alkylene optionally substituted with  $R^b$ ; or

- 20 K is cycloalkylene, cycloalkenylene, arylene, heterocycloalkylene, heterocycloalkylene or heteroarylene, any of which is optionally substituted with  $R^a$ ;

L is hydrogen, halogen,  $-N(R^f)_2$ , cycloalkyl, cycloalkenyl, aryl, heterocycloalkyl, heterocycloalkenyl or heteroaryl, any of which is optionally

- 25 substituted with  $R^a$ ,  $-C(=X)OR^d$ -,  $-OH$ -,  $-OR^c$ -,  $-C(=X)N(R^b)(R^c)$ -,  $-S(O)_mN(R^b)(R^c)$  or  $-CN$ ;

each  $R^a$  is the same or different and is hydrogen, halogen, alkyl, aryl, hydroxy, alkoxy, -alkoxy-(CH<sub>2</sub>)<sub>n</sub>C(O)<sub>2</sub>R<sup>b</sup>, -O-aryl, -C(=X)R<sup>c</sup>, -NO<sub>2</sub>, -CN, -N(R<sup>c</sup>)C(=X)R<sup>c</sup>, -C(=X)N(R<sup>c</sup>)<sub>2</sub>, -S(O)<sub>2</sub>N(R<sup>c</sup>)<sub>2</sub> or -N(R<sup>e</sup>)<sub>2</sub>;

each  $R^b$  is the same or different and is hydrogen or alkyl;

5 each  $R^c$  is the same or different and is alkyl, cycloalkyl, -alkyl-aryl, -alkyl-cycloalkyl or aryl optionally substituted with  $R^a$ ;

each  $R^d$  is the same or different and is hydrogen, alkyl or aryl optionally substituted with  $R^a$ ;

10 each  $R^e$  is the same or different and is hydrogen or alkyl; or  $R^e$  is aryl or heteroaryl, either of which is optionally substituted with  $R^a$ ;

each  $R^f$  is the same or different and is hydrogen or alkyl; or  $R^f$ -N- $R^f$  taken together form heterocycloalkyl, heterocycloalkenyl or heteroaryl;

$R^g$ -C- $R^g$  taken together form heterocyclyl;

each X is the same or different and is oxygen or sulphur;

15 Rings 1 and 2 are the same or different and are each arylene or heteroarylene, either of which is optionally substituted with  $R^a$ ;

each m is the same or different and is 0, 1 or 2; and

each n is the same or different and is 0, 1, 2, or 3;

20 with the provisos that at least one of A, B and C comprises a silicon atom; A and C are not each a bond; and the compound does not comprise a Si-Si bond, a N-N single bond, a Si-O bond, a Si-N bond or a N-O-N linkage; or a pharmaceutically acceptable salt thereof.

2. A compound according to claim 1, which is of formula (I).

3. A compound according to claim 1 or claim 2, wherein A and/or C is  
25 -Si(R<sup>c</sup>)<sub>2</sub>-.

4. A compound according to claim 3, wherein each  $R^c$  is the same or different and is alkyl.

5. A compound according to claim 1 or claim 2, wherein A and/or C is -C(R<sup>b</sup>)<sub>2</sub>-, -(CH<sub>2</sub>)<sub>n</sub>-, -N(R<sup>b</sup>)- or -O-.

30 6. A compound according to claim 5, wherein each  $R^b$  is the same or different and is hydrogen or alkyl.

7. A compound according to any preceding claim, wherein B is -(CH<sub>2</sub>)<sub>n</sub>-, -C(R<sup>b</sup>)<sub>2</sub>-, -CH(R<sup>b</sup>)CH(R<sup>b</sup>)-, -C(R<sup>b</sup>)=C(R<sup>b</sup>)-, or -CH<sub>2</sub>-C(R<sup>g</sup>)<sub>2</sub>-.

8. A compound according to claim 7, wherein each R<sup>b</sup> is the same or different and is hydrogen or alkyl.
9. A compound according to any preceding claim, wherein D is -O-, -S- or -CH<sub>2</sub>-.
- 5 10. A compound according to any preceding claim, wherein E is absent.
11. A compound according to any preceding claim, wherein F is -C(O)-.
12. A compound according to any preceding claim, wherein G is -N(R<sup>d</sup>)-.  
13. A compound according to claim 12, wherein R<sup>d</sup> is hydrogen.
14. A compound according to any preceding claim, wherein J and K are  
10 absent, and L is hydrogen or -N(R<sup>f</sup>)<sub>2</sub>.
15. A compound according to any of claims 1 to 13, wherein J is -NH-, K is alkylene and L is heterocycloalkyl.
16. A compound according to any preceding claim, wherein Ring 1 is heteroarylene.
- 15 17. A compound according to claim 16, wherein Ring 1 is furanylene.
18. A compound according to any preceding claim, wherein Ring 2 is phenyl, pyrimidinyl or pyridinyl, any of which is optionally substituted.
19. A compound according to claim 18, wherein Ring 2 is substituted 1, 2 or 3 times, the substituents being the same or different in each occurrence  
20 and selected from alkoxy and halogen.
20. A compound according to claim 1, selected from:
  - 5-(1,1,4,4,7-pentamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-  
N-(2,6-dimethoxyphenyl)furan-2-carboxamide;
  - 5-(1,1,4,4,7-pentamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-  
25 N-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;
  - 5-(1,1,4,4,7-pentamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-  
N-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;
  - 5-(1,1,4,4,7-pentamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-  
N-(2-methylamino-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;
  - 30 5-(1,1,4,4,7-pentamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-  
N-{2-[3-(4-methylpiperazin-1-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}  
furan-2-carboxamide;

5-(1,1,4,4,7-pentamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-  
N-{2-[3-(N,N-dimethylamino)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-  
2-carboxamide;

5 5-(1,1,4,4,7-pentamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-  
N-{2-[3-(morpholin-4-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-  
carboxamide;

5-(1,1,6-trimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-N-(2,6-  
dimethoxyphenyl)furan-2-carboxamide;

10 5-(1,1,6-trimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-N-(2,4,6-  
trimethoxyphenyl)furan-2-carboxamide;

5-(1,1,6-trimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-N-(2,4,6-  
trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(1,1,6-trimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-N-(2-  
methylamino-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

15 5-(1,1,6-trimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-N-{2-[3-(4-  
methylpiperazin-1-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-  
carboxamide;

20 5-(1,1,6-trimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-N-{2-[3-  
(N,N-dimethylamino)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-  
carboxamide;

5-(1,1,6-trimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-N-{2-[3-  
(morpholin-4-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-  
carboxamide;

25 5-(1,1,7-trimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-N-(2,6-  
dimethoxyphenyl)furan-2-carboxamide;

5-(1,1,7-trimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-N-(2,4,6-  
trimethoxyphenyl)furan-2-carboxamide;

5-(1,1,7-trimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-N-(2,4,6-  
trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

30 5-(1,1,7-trimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-N-(2-  
methylamino-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(1,1,7-trimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-N-{2-[3-(4-methylpiperazin-1-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(1,1,7-trimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-N-{2-[3-(N,N-dimethylamino)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(1,1,7-trimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-N-{2-[3-(morpholin-4-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(1,1,2,4,4,7-hexamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-N-(2,6-dimethoxyphenyl)furan-2-carboxamide;

5-(1,1,2,4,4,7-hexamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-N-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;

5-(1,1,2,4,4,7-hexamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-N-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(1,1,2,4,4,7-hexamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-N-(2-methylamino-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(1,1,2,4,4,7-hexamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-N-{2-[3-(4-methylpiperazin-1-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(1,1,2,4,4,7-hexamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-N-{2-[3-(N,N-dimethylamino)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(1,1,2,4,4,7-hexamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-N-{2-[3-(morpholin-4-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(5-methoxy-1,1,4,4,7-pentamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-N-(2,6-dimethoxyphenyl)furan-2-carboxamide;

5-(5-methoxy-1,1,4,4,7-pentamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-N-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;

5-(5-methoxy-1,1,4,4,7-pentamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-N-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(5-methoxy-1,1,4,4,7-pentamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-*N*-(2-methylamino-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5 5-(5-methoxy-1,1,4,4,7-pentamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-*N*-{2-[3-(4-methylpiperazin-1-yl)propylamino]-4,6-trimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(5-methoxy-1,1,4,4,7-pentamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-*N*-{2-[3-(*N,N*-dimethylamino)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

10 5-(5-methoxy-1,1,4,4,7-pentamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-*N*-{2-[3-(morpholin-4-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(8-methoxy-1,1,6-trimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-(2,6-dimethoxyphenyl)furan-2-carboxamide;

15 5-(8-methoxy-1,1,6-trimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;

5-(8-methoxy-1,1,6-trimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

20 5-(8-methoxy-1,1,6-trimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-(2-methylamino-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(8-methoxy-1,1,6-trimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-{2-[3-(4-methylpiperazin-1-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

25 5-(8-methoxy-1,1,6-trimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-{2-[3-(*N,N*-dimethylamino)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(8-methoxy-1,1,6-trimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-{2-[3-(morpholin-4-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

30 5-(1,1,4,4,5,7-hexamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-*N*-(2,6-dimethoxyphenyl)furan-2-carboxamide;

5-(1,1,4,4,5,7-hexamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-*N*-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;

5-(1,1,4,4,5,7-hexamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-  
N-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(1,1,4,4,5,7-hexamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-  
N-(2-methylamino-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5 5-(1,1,4,4,5,7-hexamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-  
N-{2-[3-(4-methylpiperazin-1-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-  
yl}furan-2-carboxamide;

5-(1,1,4,4,5,7-hexamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-  
N-{2-[3-(N,N-dimethylamino)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-  
2-carboxamide;

(1) 5-(1,1,4,4,5,7-hexamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-  
N-{2-[3-(morpholin-4-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-  
carboxamide;

5-(6-methoxy-1,1,4,4,8-pentamethyl-1,4-disila-1,2,3,4-  
15 tetrahydronaphthalen-7-yloxy)-N-(2,6-dimethoxyphenyl)furan-2-carboxamide;

5-(6-methoxy-1,1,4,4,8-pentamethyl-1,4-disila-1,2,3,4-  
tetrahydronaphthalen-7-yloxy)-N-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;

5-(6-methoxy-1,1,4,4,8-pentamethyl-1,4-disila-1,2,3,4-  
tetrahydronaphthalen-7-yloxy)-N-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl)furan-2-  
20 carboxamide;

5-(6-methoxy-1,1,4,4,8-pentamethyl-1,4-disila-1,2,3,4-  
tetrahydronaphthalen-7-yloxy)-N-(2-methylamino-4,6-dimethoxy-1,3-pyrimidin-5-  
yl)furan-2-carboxamide;

5-(6-methoxy-1,1,4,4,8-pentamethyl-1,4-disila-1,2,3,4-  
25 tetrahydronaphthalen-7-yloxy)-N-{2-[3-(4-methylpiperazin-1-yl)propylamino]-4,6-  
dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(6-methoxy-1,1,4,4,8-pentamethyl-1,4-disila-1,2,3,4-  
tetrahydronaphthalen-7-yloxy)-N-{2-[3-(N,N-dimethylamino)propylamino]-4,6-  
dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

30 5-(6-methoxy-1,1,4,4,8-pentamethyl-1,4-disila-1,2,3,4-  
tetrahydronaphthalen-7-yloxy)-N-{2-[3-(morpholin-4-yl)propylamino]-4,6-  
dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

- 5-(6-chloro-1,1,4,4-tetramethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-(2,6-dimethoxyphenyl)furan-2-carboxamide;
- 5-(6-chloro-1,1,4,4-tetramethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;
- 5 5-(6-chloro-1,1,4,4-tetramethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;
- 5-(6-chloro-1,1,4,4-tetramethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-(2-methylamino-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;
- 5-(6-chloro-1,1,4,4-tetramethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-{2-[3-(4-methylpiperazin-1-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-2-carboxamide};
- 5-(6-chloro-1,1,4,4-tetramethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-{2-[3-(*N,N*-dimethylamino)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;
- 15 5-(6-chloro-1,1,4,4-tetramethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-{2-(3-morpholin-4-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;
- 5-(6-chloro-1,1-dimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-(2,6-dimethoxyphenyl)furan-2-carboxamide;
- 20 5-(6-chloro-1,1-dimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;
- 5-(6-chloro-1,1-dimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;
- 5-(6-chloro-1,1-dimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-(2-methylamino-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;
- 25 5-(6-chloro-1,1-dimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-{2-[3-(4-methylpiperazin-1-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;
- 5-(6-chloro-1,1-dimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-{2-[3-(*N,N*-dimethylamino)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;
- 30



5-(6-chloro-1,1-dimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-{2-[3-(morpholin-4-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5 5-(4,4,7-trimethyl-4-sila-chroman-6-yloxy)-*N*-(2,6-dimethoxyphenyl)furan-2-carboxamide;

5-(4,4,7-trimethyl-4-sila-chroman-6-yloxy)-*N*-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;

5-(4,4,7-trimethyl-4-sila-chroman-6-yloxy)-*N*-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

10 5-(4,4,7-trimethyl-4-sila-chroman-6-yloxy)-*N*-(2-methylamino-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(4,4,7-trimethyl-4-sila-chroman-6-yloxy)-*N*-{2-[3-(4-methylpiperazin-1-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

15 5-(4,4,7-trimethyl-4-sila-chroman-6-yloxy)-*N*-{2-[3-(*N,N*-dimethylamino)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(4,4,7-trimethyl-4-sila-chroman-6-yloxy)-*N*-{2-[3-(morpholin-4-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

20 5-(1,2,3,4-tetrahydro-4,4,7-trimethyl-4-sila-quinolin-6-yloxy)-*N*-(2,6-dimethoxyphenyl)furan-2-carboxamide;

5-(1,2,3,4-tetrahydro-4,4,7-trimethyl-4-sila-quinolin-6-yloxy)-*N*-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;

5-(1,2,3,4-tetrahydro-4,4,7-trimethyl-4-sila-quinolin-6-yloxy)-*N*-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

25 5-(1,2,3,4-tetrahydro-4,4,7-trimethyl-4-sila-quinolin-6-yloxy)-*N*-(2-methylamino-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(1,2,3,4-tetrahydro-4,4,7-trimethyl-4-sila-quinolin-6-yloxy)-*N*-{2-[3-(4-methylpiperazin-1-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

30 5-(1,2,3,4-tetrahydro-4,4,7-trimethyl-4-sila-quinolin-6-yloxy)-*N*-{2-[3-(*N,N*-dimethylamino)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(1,2,3,4-tetrahydro-4,4,7-trimethyl-4-sila-quinolin-6-yloxy)-*N*-{2-[3-(morpholin-4-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(1,1,3,3,6-pentamethyl-1,3-disila-2,3-dihydro-1*H*-inden-5-yloxy)-*N*-(2,6-dimethoxyphenyl)furan-2-carboxamide;

5-(1,1,3,3,6-pentamethyl-1,3-disila-2,3-dihydro-1*H*-inden-5-yloxy)-*N*-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;

5-(1,1,3,3,6-pentamethyl-1,3-disila-2,3-dihydro-1*H*-inden-5-yloxy)-*N*-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

10 5-(1,1,3,3,6-pentamethyl-1,3-disila-2,3-dihydro-1*H*-inden-5-yloxy)-*N*-(2-methylamino-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(1,1,3,3,6-pentamethyl-1,3-disila-2,3-dihydro-1*H*-inden-5-yloxy)-*N*-{2-[3-(4-methylpiperazin-1-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

15 5-(1,1,3,3,6-pentamethyl-1,3-disila-2,3-dihydro-1*H*-inden-5-yloxy)-*N*-{2-[3-(*N,N*-dimethylamino)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

20 5-(1,1,3,3,6-pentamethyl-1,3-disila-2,3-dihydro-1*H*-inden-5-yloxy)-*N*-{2-[3-(morpholin-4-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(1,1,5-trimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yloxy)-*N*-(2,6-dimethoxyphenyl)furan-2-carboxamide;

5-(1,1,5-trimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yloxy)-*N*-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;

25 5-(1,1,5-trimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yloxy)-*N*-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(1,1,5-trimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yloxy)-*N*-(2-methylamino-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

30 5-(1,1,5-trimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yloxy)-*N*-{2-[3-(4-methylpiperazin-1-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

- 5-(1,1,5-trimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yloxy)-*N*-{2-[3-(*N,N*-dimethylamino)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;
- 5-(1,1,5-trimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yloxy)-*N*-{2-[3-(morpholin-4-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;
- 5-(1,1,5-trimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yloxy)-*N*-{2-[(pyridin-2-yl)methylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;
- 5-(1,1,6-trimethyl-1-sila-2,3-dihydro-1*H*-inden-5-yloxy)-*N*-(2,6-dimethoxyphenyl)furan-2-carboxamide;
- 5-(1,1,6-trimethyl-1-sila-2,3-dihydro-1*H*-inden-5-yloxy)-*N*-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;
- 5-(1,1,6-trimethyl-1-sila-2,3-dihydro-1*H*-inden-5-yloxy)-*N*-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;
- 5-(1,1,6-trimethyl-1-sila-2,3-dihydro-1*H*-inden-5-yloxy)-*N*-(2-methylamino-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;
- 5-(1,1,6-trimethyl-1-sila-2,3-dihydro-1*H*-inden-5-yloxy)-*N*-{2-[3-(4-methylpiperazin-1-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;
- 5-(1,1,6-trimethyl-1-sila-2,3-dihydro-1*H*-inden-5-yloxy)-*N*-{2-[3-(*N,N*-dimethylamino)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;
- 5-(1,1,6-trimethyl-1-sila-2,3-dihydro-1*H*-inden-5-yloxy)-*N*-{2-[3-(morpholin-4-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;
- 5-(1,1,5-trimethyl-1-sila-1*H*-inden-6-yloxy)-*N*-(2,6-dimethoxyphenyl)furan-2-carboxamide;
- 5-(1,1,5-trimethyl-1-sila-1*H*-inden-6-yloxy)-*N*-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;
- 5-(1,1,5-trimethyl-1-sila-1*H*-inden-6-yloxy)-*N*-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;
- 5-(1,1,5-trimethyl-1-sila-1*H*-inden-6-yloxy)-*N*-(2-methylamino-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;
- 5-(1,1,5-trimethyl-1-sila-1*H*-inden-6-yloxy)-*N*-{2-[3-(4-methylpiperazin-1-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(1,1,5-trimethyl-1-sila-1*H*-inden-6-yloxy)-*N*-{2-[3-(*N,N*-dimethylamino)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5 5-(1,1,5-trimethyl-1-sila-1*H*-inden-6-yloxy)-*N*-{2-[3-(morpholin-4-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(5-methoxy-1,1-dimethyl-1-sila-1*H*-inden-6-yloxy)-*N*-(2,6-dimethoxyphenyl)furan-2-carboxamide;

5-(5-methoxy-1,1-dimethyl-1-sila-1*H*-inden-6-yloxy)-*N*-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;

10 5-(5-methoxy-1,1-dimethyl-1-sila-1*H*-inden-6-yloxy)-*N*-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(5-methoxy-1,1-dimethyl-1-sila-1*H*-inden-6-yloxy)-*N*-(2-methylamino-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

15 5-(5-methoxy-1,1-dimethyl-1-sila-1*H*-inden-6-yloxy)-*N*-{2-[3-(4-methylpiperazin-1-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(5-methoxy-1,1-dimethyl-1-sila-1*H*-inden-6-yloxy)-*N*-{2-[3-(*N,N*-dimethylamino)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

20 5-(5-methoxy-1,1-dimethyl-1-sila-1*H*-inden-6-yloxy)-*N*-{2-[3-(morpholin-4-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-[1,1,6-trimethyl-3-(2-propyl)-1-sila-2,3-dihydro-1*H*-inden-5-yloxy]-*N*-(2,6-dimethoxyphenyl)furan-2-carboxamide;

25 5-[1,1,6-trimethyl-3-(2-propyl)-1-sila-2,3-dihydro-1*H*-inden-5-yloxy]-*N*-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;

5-[1,1,6-trimethyl-3-(2-propyl)-1-sila-2,3-dihydro-1*H*-inden-5-yloxy]-*N*-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-[1,1,6-trimethyl-3-(2-propyl)-1-sila-2,3-dihydro-1*H*-inden-5-yloxy]-*N*-(2-methylamino-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

30 5-[1,1,6-trimethyl-3-(2-propyl)-1-sila-2,3-dihydro-1*H*-inden-5-yloxy]-*N*-{2-[3-(4-methylpiperazin-1-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-[1,1,6-trimethyl-3-(2-propyl)-1-sila-2,3-dihydro-1*H*-inden-5-yloxy]-*N*-{2-[3-(*N,N*-dimethylamino)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-[1,1,6-trimethyl-3-(2-propyl)-1-sila-2,3-dihydro-1*H*-inden-5-yloxy]-*N*-{2-[3-(morpholin-4-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(5-chloro-1,1-dimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yloxy)-*N*-(2,6-dimethoxyphenyl)furan-2-carboxamide;

5-(5-chloro-1,1-dimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yloxy)-*N*-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;

5-(5-chloro-1,1-dimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yloxy)-*N*-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(5-chloro-1,1-dimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yloxy)-*N*-(2-methylamino-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(5-chloro-1,1-dimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yloxy)-*N*-{2-[3-(4-methylpiperazin-1-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(5-chloro-1,1-dimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yloxy)-*N*-{2-[3-(*N,N*-dimethylamino)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(5-chloro-1,1-dimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yloxy)-*N*-{2-[3-(morpholin-4-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(5-chloro-1,1,7-trimethyl-1-sila-2,3-dihydro-1*H*-inden-4-yloxy)-*N*-(2,6-dimethoxyphenyl)furan-2-carboxamide;

5-(5-chloro-1,1,7-trimethyl-1-sila-2,3-dihydro-1*H*-inden-4-yloxy)-*N*-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;

5-(5-chloro-1,1,7-trimethyl-1-sila-2,3-dihydro-1*H*-inden-4-yloxy)-*N*-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(5-chloro-1,1,7-trimethyl-1-sila-2,3-dihydro-1*H*-inden-4-yloxy)-*N*-(2-methylamino-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(5-chloro-1,1,7-trimethyl-1-sila-2,3-dihydro-1*H*-inden-4-yloxy)-*N*-{2-[3-(4-methylpiperazin-1-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5 5-(5-chloro-1,1,7-trimethyl-1-sila-2,3-dihydro-1*H*-inden-4-yloxy)-*N*-{2-[3-(*N,N*-dimethylamino)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(5-chloro-1,1,7-trimethyl-1-sila-2,3-dihydro-1*H*-inden-4-yloxy)-*N*-{2-[3-(morpholin-4-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

10 5-(5-methoxy-1,1-dimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yloxy)-*N*-(2,6-dimethoxyphenyl)furan-2-carboxamide;

5-(5-methoxy-1,1-dimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yloxy)-*N*-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;

15 5-(5-methoxy-1,1-dimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yloxy)-*N*-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(5-methoxy-1,1-dimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yloxy)-*N*-(2-methylamino-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

20 5-(5-methoxy-1,1-dimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yloxy)-*N*-{2-[3-(4-methylpiperazin-1-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(5-methoxy-1,1-dimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yloxy)-*N*-{2-[3-(*N,N*-dimethylamino)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

25 5-(5-methoxy-1,1-dimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yloxy)-*N*-{2-[3-(morpholin-4-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(5-methoxy-1,1-dimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yloxy)-*N*-{2-[(pyridin-2-yl)methylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

30 5-[(1,1,4,4,7-pentamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yl)methyl]-*N*-{2-[3-(4-methylpiperazin-1-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-[(1,1,4,4,7-pentamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yl)methyl]-*N*-{2-[3-(*N,N*-dimethylamino)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-[(1,1,4,4,7-pentamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yl)methyl]-*N*-{2-[3-(morpholin-4-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-[(1,1,3,3,6-pentamethyl-1,3-disila-2,3-dihydro-1*H*-inden-5-yl)methyl]-*N*-(2,6-dimethoxyphenyl)furan-2-carboxamide;

5-[(1,1,3,3,6-pentamethyl-1,3-disila-2,3-dihydro-1*H*-inden-5-yl)methyl]-*N*-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;

5-[(1,1,3,3,6-pentamethyl-1,3-disila-2,3-dihydro-1*H*-inden-5-yl)methyl]-*N*-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-[(1,1,3,3,6-pentamethyl-1,3-disila-2,3-dihydro-1*H*-inden-5-yl)methyl]-*N*-(2-methylamino-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-[(1,1,3,3,6-pentamethyl-1,3-disila-2,3-dihydro-1*H*-inden-5-yl)methyl]-*N*-{2-[3-(4-methylpiperazin-1-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-[(1,1,3,3,6-pentamethyl-1,3-disila-2,3-dihydro-1*H*-inden-5-yl)methyl]-*N*-{2-[3-(*N,N*-dimethylamino)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-[(1,1,3,3,6-pentamethyl-1,3-disila-2,3-dihydro-1*H*-inden-5-yl)methyl]-*N*-{2-[3-(morpholin-4-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-[(1,1,5-trimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yl)methyl]-*N*-(2,6-dimethoxyphenyl)furan-2-carboxamide;

5-[(1,1,5-trimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yl)methyl]-*N*-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;

5-[(1,1,5-trimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yl)methyl]-*N*-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-[(1,1,5-trimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yl)methyl]-*N*-(2-methylamino-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-[(1,1,5-trimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yl)methyl]-*N*-{2-[3-(4-methylpiperazin-1-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-[(1,1,5-trimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yl)methyl]-*N*-{2-[3-(*N,N*-dimethylamino)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-[(1,1,5-trimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yl)methyl]-*N*-[2-(3-morpholinopropylamino)-4,6-dimethoxy-1,3-pyrimidin-5-yl]furan-2-carboxamide;

5-[(1,1,5-trimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yl)methyl]-*N*-{2-[(pyridin-2-yl)methylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-[(1,1,5-trimethyl-1-sila-2,3-dihydroinden-6-yl)methyl]-*N*-(4-chloro-2,6-dimethoxyphenyl)furan-2-carboxamide;

5-(1,1,3,4,4,6-hexamethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-{[2-(2-(morpholin-4-yl)-ethylamino)-4,6-dimethoxy-1,3-pyrimidin-5-yl]furan-2-carboxamide};

5-(1,1,4,4,6-pentamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-5-oxy)-*N*-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;

5-(7'-hydroxy-1,1,1',1',6,6'-hexamethyl-3,3'-spiro-1,1'-disila-4,4'-dioxo-1,1',2,2',3,3',4,4'-octahydrodinaphthalen-7-yloxy)-*N*-(2,6-dimethoxyphenyl)furan-2-carboxamide;

5-[1,1,2,6-tetramethyl-3-(2-propyl)-1-sila-2,3-dihydroinden-5-yloxy]-*N*-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;

5-(1,1,3,4,4-pentamethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide.

5-(1,1,5-trimethyl-1-sila-2,3-dihydroinden-6-yloxy)-*N*-(4-chloro-2,6-dimethoxyphenyl)furan-2-carboxamide;

5-(1,1,3,3,5-pentamethyl-1-sila-2,3-dihydroinden-6-yloxy)-*N*-(2,6-dimethoxyphenyl)furan-2-carboxamide;

5-(1,1,3,3,6-pentamethyl-1-sila-2,3-dihydroinden-5-yloxy)-*N*-(2,6-dimethoxyphenyl)furan-2-carboxamide;

5-(8-methoxy-1,1,4,4,6-pentamethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-{2-[3-(morpholin-4-yl)-*N*-propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;



5-(1,1,6-trimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-(2,4-dimethoxypyridin-3-yl)furan-2-carboxamide.

5-(1,1,3,4,4,6-hexamethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide and

5 5-(1,1,3,4,4,6-hexamethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-[2-(2-*N,N*-dimethylaminoethyl)-4,6-trimethoxy-1,3-pyrimidin-5-yl]furan-2-carboxamide;

21. A compound according to any preceding claim, which is in the form of a single enantiomer or diastereomer or tautomer.

10 22. A compound according to any preceding claim, for therapeutic use.

23. A pharmaceutical composition comprising a compound of any of claims 1 to 21 and a pharmaceutically acceptable diluent or carrier.

24. Use of a compound of any of claims 1 to 21, for the manufacture of a medicament for cancer therapy.

15 25. Use of a compound of any of claims 1 to 21, for the manufacture of a medicament for the treatment or prevention of endometriosis, uterine myoma, an ovarian disease, a mammary cystic disease, prostatic hypertrophy, amenorrhea, precocious puberty, premenstrual syndrome, a sex-steroid-dependent pathophysiology or benign prostatic hyperplasia, or to arrest  
20 spermatogenesis.

26. Use according to claim 25, for the treatment or prevention of endometriosis with pain, polycystic ovarian disease or secondary amenorrhea.

27. Use of a compound of any of claims 1 to 21, for the manufacture of a medicament for the treatment or prevention of Alzheimer's disease.

25 28. Use of a compound of any of claims 1 to 21, for the manufacture of a medicament for the treatment or prevention of HIV infection or AIDS.

29. Use of a compound of any of claims 1 to 21, for the manufacture of a medicament for the treatment or prevention of a disease caused by thymic malfunction.

30 30. Use according to claim 29, for the treatment or prevention of multiple sclerosis, rheumatoid arthritis or type 1 diabetes.